



**Davin
Med**



DAVIN 达芬奇
MED TECHNOLOGY

厦门达芬奇医疗器械有限公司
Xiamen Davin Med Technology Co.,Ltd

Table of contents

Company introduction	
Company Profile	1
ALPS Titanium Alloy Locking Plate System	
ALPS-3 Mini System	2-5
ALPS-5 Small System	6-9
ALPS-8 Medium system	10-13
ALPS-10 Large System	14-17
TPLO system	
Mini TPLO system(smallsize)	18-19
TPLO system(mediumsize)	20-21
TPLO system(largesize)	22-23
TPLO system	24-25
Auxiliary tools	26
Spinal system	
Spinal system	27-31
Pulley deepening system	
Pulley deepening system	32-34
Animal DPO system	
Animal DPO system	35-39
Implant	
Animal orthopedic plates	40-47
AO(cap) locking plates	48-51
Animal orthopedic screws	52-58
Kirchen wires	59-60
Artificial ligament wires	61-62
Animal orthopedic surgical instrum	
Animal orthopedic surgical instruments	63-91
Orthopedic power system	
Orthopedic power system	93-96
High-speed micro drill for animal spinal nerves	
High-speed micro drill for animal spinal nerves	97-98
PGR sled replacement system	
PGR sledre place ment system	99-101



企业简介


BRIEF INTRODUCTION

厦门达芬奇医疗器械有限公司成立于 2023 年, 是一家专注于小动物骨科产、学、研于一体的科技公司, 公司设备精良, 拥有美国 HAAS, 哈廷五轴加工中心, 日本 STAR, 西铁城, 韩国韩华数控纵切机床在内的高精机械加工及检测设备仪器 100 多台 (套), 公司现有管理及生产团队全部来源于人体的三类骨科耗材公司, 对创伤, 脊柱及关节的研发及制造有更高、更深的理解, 努力打造 " 以人医的标准, 重新定义小动物骨科 " 为公司的发展愿景。

2024 年公司与宠壹堂强强联合, 助力中国兽医成长, 宠壹堂可为兽医提供执业兽医资格证考试培训、学历提升、宠物医生专业技能培训一站式培训平台。

Xiamen Davin Med Technology Co., Ltd. was founded in 2023 and is a company focused on orthopedic production, learning, and teaching of small animals. A fully developed technology company, the company has well-equipped equipment, and has more than 100 high-precision machining and inspection equipment instruments including HAAS, Hutting's five-axis machining center in the United States, STAR, Nishiti City, and Hanwha's numerical cutting machine tools in Korea. The company's current management and production teams, all of whom are originally from the three categories of orthopaedic consumables company of the human body, have a higher and deeper understanding of the development and manufacture of trauma, spine and joints, and strive to create a vision of "redefining small animal orthopaedics to the standards of human medicine."

In 2024, the company strengthened its collaboration with Chongyitang, supporting the growth of Chinese veterinarians. Chongyitang offers one-stop training platforms for veterinary professionals, including exam preparation and professional skills training for pet doctors.



ALPS-3 Mini System

for animals


ALPS-3 Mini System

Mini System

Small System

Medium system

Large System



Coding	Product Description	Quantity	Coding	Product Description	Quantity
D000001	ALPS-3 Mini System	1	D000001	ALPS-3 Mini System	1
DDB0860	Φ 0.8mm stainless steel drill bit	3	DALPS35T3	Locking T-plate 3.5mm 3×5 holes	1
DDB1190	Φ 1.1mm stainless steel drill bit	3	DALPS42T3	Locking T-plate 4.2mm 3×5 holes	1
DALPS3LG11	Φ 1.1mm Locking drill sleeve	1	DALPSC11	C1.1×4mm Titanium alloy Cortical Tapping Screw	4
DALPS3NG0811	Φ 0.8/1.1mm Neutral drill bushing	1	DALPSC11	C1.1×5mm Titanium alloy Cortical Tapping Screw	4
DALPS3SD11	Φ 1.1mm Cross screw driver	1	DALPSC11	C1.1×6mm Titanium alloy Cortical Tapping Screw	4
DT101016	1.1mm T-plate with 5 holes	1	DALPSC11	C1.1×7mm Titanium alloy Cortical Tapping Screw	4
DT101021	1.1mm T-plate with 6 holes	1	DALPSC11	C1.1×8mm Titanium alloy Cortical Tapping Screw	4
DB0860D	1.1mm T-plate with 7 holes	1	DALPSC11	C1.1×9mm Titanium alloy Cortical Tapping Screw	4
DDB1190	1.1mm T-plate with 8 holes	1	DALPSC11	C1.1×10mm Titanium alloy Cortical Tapping Screw	4
DDTP1103A	1.1mm double T-shaped cut bone plate	1	DALPSC11	C1.1×12mm Titanium alloy Cortical Tapping Screw	4
DGP10391	1.1mm straight bone plate, 23 holes, 91mm long	1	DALPSB16	B1.6×4mm titanium alloy Locking Screw	4
DCM10390	1.1mm reconstructed bone plate, 30 holes, 90mm long	1	DALPSB16	B1.6×5mm titanium alloy Locking Screw	4
DALPS35	Locking titanium plate, 3.5mm wide, 30 holes	1	DALPSB16	B1.6×6mm titanium alloy Locking Screw	4
DALPS42	Locking titanium plate with 4.2mm width and 26 holes	1	DALPSB16	B1.6×7mm titanium alloy Locking Screw	4
DALPS3IT	ALPS Mini Integrated Implant Box	1	DALPSB16	B1.6×8mm titanium alloy Locking Screw	4
DALPS35T2	Locking T-plate 3.5mm 2×5 holes	1	DALPSB16	B1.6×10mm titanium alloy Locking Screw	4
DALPS42T2	Locking T-plate 4.2mm 2×5 holes	1	DPB3542	ALPS 3.5/4.2mm dedicated bending tool	1

Φ0.8mm Stainless steel

for animals



Coding

Product Description

DDB18150

Φ0.8mm stainless steel drill bit

Mini
System

Φ1.1mm stainless steel drill

for animals



Coding

Product Description

DDB1190

Φ1.1mm stainless steel drill bit

Small
System

Φ1.1mm Locking drill sleeve

for animals



Coding

Product Description

DALPS3LG11

ALPS-3 Φ1.1mm Locking drill sleeve

Medium
system

Φ0.8/1.1mm Neutral drill bushing

for animals



Coding

Product Description

DALPS3NG0811

ALPS-3 Φ0.8/1.1mm Neutral drill bushing

Φ1.1mm Cross screwdriver

for animals



Coding

Product Description

DALPS3SD11

Φ1.1mm Cross screw driver

1.1mm T-plate with 5 holes

for animals



Coding

Product Description

DT101016

2x3hole head width 5.5mm, rod width 3mm
total length 18mm

1.1mm T-plate with 6 holes

for animals



Coding

Product Description


DT101021

3x3hole head width 5.5mm, rod width 3mm
total length 21mm



1.1mm T-plate with 7 holes

for animals



Coding

Product Description

DT101024


2x5 Hole, Head width 5.5mm, Rod width 3mm, Length 24mm

DT101027

3x4 Hole, Head width 5.5mm, Rod width 3mm, Length 27mm

1.1mm double T-shaped cut bone plate

for animals



Coding


Product Description

DTP1103A

3mm wide,1.0mm thick,25 holes,total length 95mm

1.1mm straight cut bone plate

for animals



Coding

Product Description

DCP10391

3mm wide,1.0mm thick,23 holes,total length 91mm

1.1mm reconstructed and trimmed bone plate

for animals



Coding

Product Description

DCM10390

3mm wide,1.0mm thick,30holes,total length 90mm

ALPS-3.5 Locking Titanium Plate

for animals



Coding

Product Description

DALPS35

3.5mm wide,30 holes,1.5mm thick,total length 135mm

ALPS-4.2 Locking Titanium Plate

for animals



Coding

Product Description

DALPS42

4.2mm Wide, 26 Holes, 1.5mm Thick Length 130mm

ALPS Mini Integrated Implant Box

for animals



Coding

Product Description

DALPS31T

Dimensions:225x115x45mm



ALPS dedicated bending tool

for animals



Coding	Product Description
DPB3542	3.5/4.2mm

Mini System

ALPS pure titanium locking T-plate

for animals

Small System

Medium system

Large System



Coding	Product Description
DALPS35T2	Rod width 3.5mm, head width 8mm, length 30mm, 2×5 holes
DALPS42T2	Rod width 4.2mm, head width 9mm, length 33mm, 2×5 holes
DALPS35T3	Rod width 3.5mm, head width 6.5mm, length 31mm, 3×5 holes
DALPS42T3	Rod width 4.2mm, head width 7mm, length 34mm, 3×5 holes

C1.1mm titanium alloy leather studs, 1.1 cross

for animals



Coding	Product Description		
DALPSC11	1.1Cross-shaped interface,for use with ALPS3.5/4.2		
	4mm	7mm	10mm
	5mm	8mm	12mm
	6mm	9mm	

B1.6mm titanium alloy lock studs, 1.1 cross pins

for animals





Coding	Product Description	
DALPSB16	1.1Cross-shaped interface,for use with ALPS2.5/4.2	
	4mm	7mm
	5mm	8mm
	6mm	10mm

ALPS-5 small system

for animals

ALPS-5 Small System

Mini
SystemSmall
SystemMedium
systemLarge
System

Coding	Product Description	Quantity	Coding	Product Description	Quantity
D000002	ALPS-5 small system	1	D000002	ALPS-5 small system	1
DDB11100	Φ1.1mm stainless steel drill bit	3	DALPSC15	C1.5×10mm Titanium Alloy Cortical Screw	4
DDB15150	Φ1.5mm stainless steel drill bit	3	DALPSC15	C1.5×12mm Titanium Alloy Cortical Screw	4
DDB18150	Φ1.8mm stainless steel drill bit	3	DALPSC15	C1.5×14mm Titanium Alloy Cortical Screw	4
DDBL001	1.8mm drill bit limiter & wrench	1	DALPSC15	C1.5×16mm Titanium Alloy Cortical Screw	4
DALPS5TG11	1.1mm threaded drill bushing	1	DALPSC15	C1.5×18mm Titanium Alloy Cortical Screw	4
DALPS5LG18	1.8mm locking drill bushing	1	DALPSC15	C1.5×20mm Titanium Alloy Cortical Screw	4
DALPS5CG11	1.1mm pressure guide drill	1	DALPSC15	C1.5×22mm Titanium Alloy Cortical Screw	4
DALPS5NG1115	1.1/1.5 Neutral Drill Bushing	1	DALPSC15	C1.5×24mm Titanium Alloy Cortical Screw	4
D100151	AO Quick-release Straight Handle	1	DALPSC15	C1.5×26mm Titanium Alloy Cortical Screw	4
D100209	30mm depth sounder	1	DALPSB24	B2.4×5mm Titanium Alloy Locking Screw	4
D100213	Screw clamps, small size	1	DALPSB24	B2.4×6mm titanium Alloy Locking Screw	4
DPB5065	ALPS5.0/6.5 Dedicated Bending Tool	1	DALPSB24	B2.4×8mm titanium Alloy Locking Screw	4
DAOSDT6	AO Quick-Install Torx Screw driver T6	1	DALPSB24	B2.4×10mm titanium Alloy Locking Screw	4
DALPS50	Locking Titanium Plate, 5.0mm Wide, 43 Holes	1	DALPSB24	B2.4×12mm titanium Alloy Locking Screw	4
DALPS65	Locking Titanium Plate, 6.5mm Wide, 34 Holes	1	DALPSB24	B2.4×14mm titanium Alloy Locking Screw	4
DALPSC15	C1.5×6mm Titanium Alloy Cortical Screw	4	DALPSB24	B2.4×16mm titanium Alloy Locking Screw	4
DALPSC15	C1.5×7mm Titanium Alloy Cortical Screw	4	DALPS5IT	ALPS Small Integrated Implant Box	1
DALPSC15	C1.5×8mm Titanium Alloy Cortical Screw	4	DALPS5SC	ALPS Small Sterilization Box (Outer Box)	1

Φ 1.1mm stainless steel drill bit

for animals



Coding	Product Description
DDB11100	Φ 1.1mm total length 100mm

Φ 1.5mm stainless steel drill bit

for animals



Coding	Product Description
DDB15150	Φ 1.5mm total length 150mm

Φ 1.8mm stainless steel drill bit

for animals



Coding	Product Description
DDB18150	Φ 1.8mm total length 150mm

1.8mm Drill bit limiter & wrench

for animals



Coding	Product Description
DDBL001	1.8mm Drill bit limiter & wrench

1.1mm Threaded drill bushing

for animals



Coding	Product Description
DALPS5TG11	ALPS-5 1.1mm threaded drill bushing

1.8mm Locking drill sleeve

for animals



Coding	Product Description
DALPS5LG18	ALPS-5 1.8mm locking drill bushing

1.1mm pressure guide drill

for animals



Coding	Product Description
DALPS5CG11	ALPS-5 1.1mm Pressure Drill Bushing



1.1/1.5mm Neutral drill bushing

for animals



Coding	Product Description
DALPS5NG1115	ALPS-5 1.1/1.5mm Neutral Drill Bushing

AO Quick-release Straight Handle

for animals



Coding	Product Description
D100151	Small size, quick-release straight handle, total length 130mm

30mm depth sounder

for animals



Coding	Product Description
D100209	Depth gauge suitable for 1.5/2.4mm screws, 30mm.

Screwclamps

for animals



Coding	Product Description
D100213	Screw clamps, small size

ALPS 5.0/6.5 Dedicated Bending Tool

for animals



Coding	Product Description
DPB5065	5.0/6.5mm

AO Quick-Install Torx Screwdriver T6

for animals



Coding	Product Description
DAOSDT6	Suitable for C1.5/2.0mm Cortical Screw , B2.4mm Locking Screw

ALPS-5.0 Locking Titanium Plate

for animals



Coding	Product Description
DALPS50	5.0mm wide, 43 holes, 2.0mm thick, total length 236.5mm



ALPS-6.5 Locking Titanium Plate

for animals



Coding

DALPS65

Product Description

6.5mm Wide, 34 Holes, 2.2mm Thick,
Length 238mm

ALPS Small Integrated Implant Box

for animals



Coding

DALPS5IT

Product Description

Dimensions: 290×70×40mm

ALPS Small Disinfection box (outer box)

for animals



Coding

DALPS5SC

Product Description

Dimensions: 310×195×50mm

C1.5mm titanium alloy leather studs, T6 quincunx.

for animals



Coding

DALPSC15

Product Description

T6 Torx connector, compatible with
ALPS5/6.5

6mm

12mm

20mm

7mm

14mm

22mm

8mm

16mm

24mm

10mm

18mm

26mm

B2.4mm titanium alloy cortical tapping screw, T6 quincunx.

for animals



Coding

DALPSB24

Product Description

T6 Torx connector, compatible with ALPS5
/6.5

5mm

12mm

6mm

14mm

8mm

16mm

10mm

ALPS-8 Medium system

for animals


ALPS-8 Medium system

Mini
System

Small
System

Medium
system

Large
System



Coding	Product Description	Quantity	Coding	Product Description	Quantity
D000003	ALPS-8 Medium system	1	DALPSC24	C2.4×16mm titanium alloy Cortical Tapping Screw	4
DDB18150	Φ1.8mm stainlesss teel drill bit	3	DALPSC24	C2.4×18mm titanium alloy Cortical Tapping Screw	4
DDB25150	Φ2.5mm stainlesss teel drill bit	3	DALPSC24	C2.4×20mm titanium alloy Cortical Tapping Screw	4
DDBL002	2.5mm Drill bit limiter&wrench	1	DALPSC24	C2.4×22mm titanium alloy Cortical Tapping Screw	4
DALPS8TG18	1.8mm threaded drill bushing	1	DALPSC24	C2.4×24mm titanium alloy Cortical Tapping Screw	4
DALPS8LG25	2.5mm locking drill bushing	1	DALPSC24	C2.4×26mm titanium alloy Cortical Tapping Screw	4
DALPS8CG18	1.8mm pressure drill bushing	1	DALPSC24	C2.4×28mm titanium alloy Cortical Tapping Screw	4
DALPS8NG1825	1.8/2.5mm neutral drill bushing	1	DALPSC24	C2.4×30mm titanium alloy Cortical Tapping Screw	4
D100151	AO Quick-release Straight Handle	1	DALPSC24	C2.4×32mm titanium alloy Cortical Tapping Screw	4
D100210	40mm depth sounder	1	DALPSB32	B3.2×8mm titanium alloy Locking Screw	4
D100214	Medium screw clamp	1	DALPSB32	B3.2×10mm titanium alloy Locking Screw	4
DPB8090	ALPS 8.0/9.0 Dedicated Bending Tool	2	DALPSB32	B3.2×12mm titanium alloy Locking Screw	4
DAOSDT10	AO Quick-release Torx ScrewdriverT10	1	DALPSB32	B3.2×14mm titanium alloy Locking Screw	4
DALPS80	Locking Titanium Plate, 8.0mm Wide, 26 Holes	1	DALPSB32	B3.2×16mm titanium alloy Locking Screw	4
DALPS90	Locking titanium plate,9.0mm wide,23 holes	1	DALPSB32	B3.2×18mm titanium alloy Locking Screw	4
DALPSC24	C2.4×10mm titanium alloy Cortical Tapping Screw	4	DALPSB32	B3.2×20mm titanium alloy Locking Screw	4
DALPSC24	C2.4×12mm titanium alloy Cortical Tapping Screw	4	DALPS8 IT	ALPS Medium Integrated Implant Box	1
DALPSC24	C2.4×14mm titanium alloy Cortical Tapping Screw	4	DALPS8 SC	ALPS Medium-sized Sterilization Box (Outer Box)	1



Φ 1.8mm stainless steel drill bit

for animals



Coding	Product Description
DDB18150	Φ 1.8mm total length 150mm

Φ 2.5mm stainless steel drill bit

for animals



Coding	Product Description
DDB25150	Φ 2.5mm total length 150mm

2.5mm drill bit limiter & wrench

for animals



Coding	Product Description
DDBL002	2.5mm drill bit limiter & wrench

1.8mm threaded drill bushing

for animals



Coding	Product Description
DALPS8TG18	ALPS-8 1.8mm threaded drill bushing

2.5mm locking drill sleeve

for animals



Coding	Product Description
DALPS8LG25	ALPS-8 2.5mm locking drill sleeve

1.8mm pressure drill bushing

for animals



Coding	Product Description
DALPS8CG18	ALPS-8 1.8mm pressure drill bushing

1.5/2.5mm neutral drill bushing

for animals



Coding	Product Description
DALPS8NG1825	ALPS-8 1.5/2.5mm neutral drill bushing



AO Quick-release Straight Handle

for animals



Coding

D100151

Product Description

Small Size, Quick-release Straight Handle, Length 130mm

Mini System

40mm depth sounder

for animals



Coding

D100210

Product Description

Depth Gauge Suitable for 2.4/3.2mm screws, 40mm

Small System

Medium system

Screwclamps

for animals



Coding

D100214

Product Description

Medium screw clamp

Large System

ALPS 8.0/9.0 Dedicated Bending Tool

for animals



Coding

DPB8090

Product Description

8.0/9.0mm

A0 Quick-release Torx Screwdriver T10

for animals



Coding

DA0SDT10

Product Description

Suitable for C2.4mm leather rivets and B3.2mm locking rivets

ALPS-8.0 Locking Titanium Plate

for animals



Coding

DALPS80

Product Description

8.0mm wide, 26 holes, 2.8mm thick, 234mm total length

ALPS-9.0 Locking Titanium Plate

for animals



Coding

DALPS90

Product Description

9.0mm wide, 23 holes, 3.2mm thick total length 231mm



ALPS Medium Integrated Implant Box

for animals



Coding

DALPS8IT


Product Description

Dimensions:290 × 70 × 40mm

Mini
System

ALPS Medium-sized Sterilization Box (Outer Box)

for animals



Coding

DALPS8SC

Product Description

Dimensions:310 × 195 × 50mm

Small
SystemMedium
system

C2.4mm titanium alloy leather studs,T10 quincunx.

for animals



Coding

DALPSC24

Product Description

T10 Torx connector,compatible with
ALPS 8.0/9.0.

10mm

18mm

26mm

12mm

20mm

28mm

14mm

22mm

30mm

16mm

24mm

32mm

Large
System

B3.2mm titanium alloy rivets,T10 quincunx.

for animals



Coding

DALPSB32

Product Description

T10 Torx connector,compatible with
ALPS 8.0/9.0.

8mm

16mm

10mm

18mm

12mm



20mm

14mm

ALPS-10 Large System

for animals

ALPS-10 Large System



Mini System
Small System
Medium system
Large System

Coding	Product Description	Quantity	Coding	Product Description	Quantity
D000004	ALPS-10 Large System	1	D000004	ALPS-10 Large System	1
DDB20150	Φ2.0mm stainlesss teel drill bit	3	DALPSC27	C2.7×20mm titanium alloy Cortical Tapping Screw	4
DDB27150	Φ27mm stainlesss teel drill bit	3	DALPSC27	C2.7×22mm titanium alloy Cortical Tapping Screw	4
DDB32150	Φ3.2mm stainlesss teel drill bit	3	DALPSC27	C2.7×24mm titanium alloy Cortical Tapping Screw	4
DDBL004	3.2mm drill bit limiter & wrench	1	DALPSC27	C2.7×26mm titanium alloy Cortical Tapping Screw	4
DALPS10TG20	2.0mm threaded drill bushing	1	DALPSC27	C2.7×28mm titanium alloy Cortical Tapping Screw	4
DALPS10LG32	3.2mm locking drill bushing	1	DALPSC27	C2.7×30mm titanium alloy Cortical Tapping Screw	4
DALPS10CG20	2.0mm pressure drill bushing	1	DALPSC27	C2.7×32mm titanium alloy Cortical Tapping Screw	4
DALPS10NG2027	2.0/2.7 Neutral Drill Bushing	1	DALPSC27	C2.7×34mm titanium alloy Cortical Tapping Screw	4
D100150	AO quick release straighthandle	1	DALPSB40	B4.0×10mm Titanium Alloy Locking Screwd	4
D100210	50mm depth sounder	1	DALPSB40	B4.0×12mm Titanium Alloy Locking Screw	4
D100215	Large screw clamp	1	DALPSB40	B4.0×14mm Titanium Alloy Locking Screw	4
DPB10110	ALPS10/11.0 Dedicated Bending Tool	1	DALPSB40	B4.0×16mm Titanium Alloy Locking Screw	4
DA0SDT10	AO Quick-release Torx ScrewdriverT10	1	DALPSB40	B4.0×18mm Titanium Alloy Locking Screw	4
DALPS100	Locking titanium plate 10.0mm wide with 20 holes	1	DALPSB40	B4.0×20mm Titanium Alloy Locking Screw	4
DALPS110	Locking Titanium Plate 11.5mm wide , 18 Holes	1	DALPSB40	B4.0×22mm Titanium Alloy Locking Screw	4
DALPSC27	C2.7×12mm titanium alloy Cortical Tapping Screw	4	DALPSB40	B4.0×24mm Titanium Alloy Locking Screw	4
DALPSC27	C2.7×14mm titanium alloy Cortical Tapping Screw	4	DALPSB40	B4.0×26mm Titanium Alloy Locking Screw	4
DALPSC27	C2.7×16mm titanium alloy Cortical Tapping Screw	4	DALPS10IT	ALPS Large Integrated Implant Box	1
DALPSC27	C2.7×18mm titanium alloy Cortical Tapping Screw	4	DALPS10SC	ALPS Large Sterilization Box (Outer Box)	1



Φ 2.0mm Stainless Steel Drill Bit

for animals



Coding	Product Description
DDB20150	Φ 2.0mm Length 150mm

Φ 2.7mm Stainless Steel Drill Bit

for animals



Coding	Product Description
DDB27150	Φ 2.7mm Length 150mm

Φ 3.2mm Stainless Steel Drill Bit

for animals



Coding	Product Description
DDB32150	Φ 3.2mm Length 150mm

3.2mm Drill Bit Stopper & Spanner

for animals



Coding	Product Description
DDBL004	3.2mm Drill Bit Stopper & Spanner

2.0mm Thread Drill Guide

for animals



Coding	Product Description
DALPS10TG20	ALPS-10 2.0mm Thread Drill Guide

3.2mm Locking Drill Guide

for animals



Coding	Product Description
DALPS10LG32	ALPS-10 3.2mm Locking Drill Guide

2.0mm Compression Drill Guide

for animals



Coding	Product Description
DALPS10CG20	ALPS-10 2.0mm Compression Drill Guide

Mini
System

Small
System

Medium
system

Large
System



2.0/2.7 Drill Guide

for animals



Coding	Product Description
DALPS10NG2027	ALPS-10 2.0/2.7mm Drill Guide

A0 Quick Coupling Handle

for animals



Coding	Product Description
D100150	Wooden Handle, Length 113mm

50mm Depth Gauge

for animals



Coding	Product Description
D100210	Depth gauge suitable for 3.2/4.0mm screws, 50mm

Screw Holder Large

for animals



Coding	Product Description
D100215	Screw Holder Large

ALPS 10/11.0 Plate Bending Wrench

for animals



Coding	Product Description
DPB10110	10/11.0mm

A0 Quick Coupling Torx Head Screw Driver T10

for animals



Coding	Product Description
DA0SDT10	Suitable for C2.7mm Cortical Screw, B4.0mm Locking Screw

ALPS-10.0 Locking Titanium Plate

for animals



Coding	Product Description
DALPS100	10.0mm Wide, 20 Holes, 4.2mm Thick, Length 240mm



ALPS-11.0 Locking Titanium Plate

for animals



Coding

DALPS110

Product Description

11.0mm Wide, 18 Holes, 4.6mm Thick ,
Length 234mm

ALPS Large Integrated Implant Box

for animals



Coding


DALPS10IT

Product Description

Size 290×75×42mm

ALPS Large Sterilization Box(OuterBox)

for animals



Coding

DALPS10SC

Product Description

Size 310×195×50mm

C2.7mm Titanium Alloy Cortical Screw, T10 Torx

for animals



Coding

DALPSC27

Product Description

T10 Torx connector, compatible
with ALPS10/11.0

12mm

20mm

28mm

14mm

22mm

30mm

16mm

24mm

32mm

18mm

26mm

34mm

B4.0mm Titanium Alloy Locking Screw, T10 Torx

for animals



Coding

DALPSB40

Product Description

T10 Torx connector, compatible with
ALPS10/11.0

10mm

16mm

22mm

12mm

18mm

24mm

14mm

20mm

26mm

2.0/2.4 TPLO System

for animals

2.0/2.4 TPLO System



Coding	Product Description	Quantity	Coding	Product Description	Quantity
DCQ2024MTPLOM	Multi-axial Locking TPLO Set	1	DCSCF2410	Cortical Screw 2.4*10mm	5
DTYAZT15	QC Drill Bit ϕ 1.5	1	DCSCF2412	Cortical Screw 2.4*12mm	5
DTYAZT18	QC Drill Bit ϕ 1.8	1	DCSCF2414	Cortical Screw 2.4*14mm	5
DCQTYAT8	AO Screwdriver T8	1	DCSCF2416	Cortical Screw 2.4*16mm	5
DCQTYAT6	AO Screwdriver T6	1	DCSCF2418	Cortical Screw 2.4*18mm	5
DCQTY1824S	Compression Drill Guide ϕ 1.8- ϕ 2.4	1	DCSCF2420	Cortical Screw 2.4*20mm	5
DCQTY1520SDZ	Compression Drill Guide ϕ 1.5- ϕ 2.0	1	DCSCF2422	Cortical Screw 2.4*22mm	5
DCQTYADZ:	Drill Guider ϕ 2.0	1	DCSCF2424	Cortical Screw 2.4*24mm	5
DCQTYADZ24	Drill Guider ϕ 2.4	1	DCSCF2426	Cortical Screw 2.4*26mm	5
DKSZL1620	Guide Pin ϕ 1.6/ ϕ 2.0	2	DCSCF2428	Cortical Screw 2.4*28mm	5
DTY45100B	Rod ϕ 4.5* 100	2	DCSCF2430	Cortical Screw 2.4*30mm	5
DTYLSW2535	Hex Wrench	1	DCSCF2432	Cortical Screw 2.4*32mm	5
DTY30CSC	Depth Gauge 30mm	1	DCSCF2434	Cortical Screw 2.4*34mm	5
DCQTYAKHS BM	AO QC Handle	1	DCSCF2436	Cortical Screw 2.4*36mm	5
DTY04NLJT	Torque Limiter 0.4N.m .	1	DCSA0248	Locking Screw 2.4*8mm	5
DCQT0YDQX	TPLO Guider Small	1	DCSA02410	Locking Screw 2.4*10mm	5
DCQT0CLCX	Angler	1	DCSA02412	Locking Screw 2.4*12mm	5
DCQ2023T0 MJHL	One-piece Sterilization Box	1	DCSA02414	Locking Screw 2.4*14mm	5
DCSCF246	Cortical Screw 2.4*6mm	5	DCSA02416	Locking Screw 2.4*16mm	5
DCSCF248	Cortical Screw 2.4*8mm	5	DCSA02418	Locking Screw 2.4*18mm	5




Coding	Product Description	Quantity	Coding	Product Description	Quantity
DCSA02420	Locking Screw 2.4*20mm	5	DCSCF2020	Cotical Screw 2.0*20mm	5
DCSA02422	Locking Screw 2.4*22mm	5	DCSCF2022	Cotical Screw 2.0*22mm	5
DCSA02424	Locking Screw 2.4*24mm	5	DCSCF2024	Cotical Screw 2.0*24mm	5
DCSA02426	Locking Screw 2.4*26mm	5	DCSCF2026	Cotical Screw 2.0*26mm	5
DCSA02428	Locking Screw 2.4*28mm	5	DCSCF2028	Cotical Screw 2.0*28mm	5
DCSA02430	Locking Screw 2.4*30mm	5	DCSCF2030	Cotical Screw 2.0*30mm	5
DCSA02432	Locking Screw 2.4*32mm	5	DCSA0206	Locking Screw 2.0*6mm	5
DCSA02434	Locking Screw 2.4*34mm	5	DCSA0208	Locking Screw 2.0*8mm	5
DCSA02436	Locking Screw 2.4*36mm	5	DC8A02010	Locking Screw 2.0*10mm	5
DCSA02438	Locking Screw 2.4*38mm	5	DCSA02012	Locking Screw 2.0*12mm	5
DCSA02440	Locking Screw 2.4*40mm	5	DCSA02014	Locking Screw 2.0*14mm	5
DCPMT24L 33R	2.4 TPLO L# R	1	DCSA02016	Locking Screw 2.0*16mm	5
DCPMT24L 33L	2.4 TPLO L# L	1	DCSA02018	Locking Screw 2.0*18mm	5
DCPMT24M 33R	2.4 TPLO M# R	1	DCSA02020	Locking Screw 2.0*20mm	5
DCPMT24M 33L	2.4 TPLO M# L	1	DCSA02022	Locking Screw 2.0*22mm	5
DCPMT24S 33R	2.4 TPLO S# R	1	DCSA02024	Locking Screw 2.0*24mm	5
DCPMT24S 33L	2.4 TPLO S# L	1	DCSA02026	Locking Screw 2.0*26mm	5
DCSCF206	Cotical Screw 2.0*6mm	5	DCSA02028	Locking Screw 2.0*28mm	5
DCSCF207	Cotical Screw 2.0*7mm	5	DCSA02030	Locking Screw 2.0*30mm	5
DCSCF208	Cotical Screw 2.0*8mm	5	DCPMT20L 33R	2.0 TPLO 6# Right	1
DCSCF209	Cotical Screw 2.0*9mm	5	DCPMT20L 33L	2.0 TPLO 6# Left	1
DCSCF2010	Cotical Screw 2.0*10mm	5	DCPMT20M 33R	2.0 TPLO 5# Right	1
DCSCF2012	Cotical Screw 2.0*12mm	5	DCPMT20M 33L	2.0 TPLO 5# Left	1
DCSCF2014	Cotical Screw 2.0*14mm	5	DCPMT20S 33R	2.0 TPLO 4# Right	1
DCSCF2016	Cotical Screw 2.0*16mm	5	DCPMT20S 33L	2.0 TPLO 4# Left	1
DCSCF2018	Cotical Screw 2.0*18mm	5			

2.7/3.5 TPLO System

for animals

2.7/3.5 TPLO System



Coding	Product Description	Quantity	Coding	Product Description	Quantity
DCQ2735MT PLOM	2.7/3.5 Multi-axial Locking TPLO Set	1	DCSCF2708	Cortical Screw 2.7*8mm	5
DCQTYADZ27	Drill Guider $\Phi 2.7$	1	DCSCF2710	Cortical Screw 2.7*10mm	5
DCCQTYAD Z35	Drill Guider $\Phi 3.5$	1	DCSCF2712	Cortical Screw 2.7*12mm	5
DCQTYAT8	AO Screwdriver T8	1	DCSCF2714	Cortical Screw 2.7*14mm	5
DCQTYAT15	AO Screwdriver T15	1	DCSCF2716	Cortical Screw 2.7*16mm	5
DCQTY2535 SD	Compression Drill Guide $\Phi 2.5\text{-}\Phi 3.5$	1	DCSCF2718	Cortical Screw 2.7*18mm	5
DCQTY2027 SD	Compression Drill Guide $\Phi 2.0\text{-}\Phi 2.7$	1	DCSCF2720	Cortical Screw 2.7*20mm	5
DTYAZT27	QC Drill Bit $\Phi 2.7^* 175$	1	DCSCF2722	Cortical Screw 2.7*22mm	5
DTYAZT25	QC Drill Bit $\Phi 2.5^* 110$	1	DCSCF2724	Cortical Screw 2.7*24mm	5
DTYAZT20	QC Drill Bit $\Phi 2.0^* 110$	2	DCSCF2726	Cortical Screw 2.7*26mm	5
DKSZL1620	Guide Pin $\Phi 1.6/\Phi 2.0$	2	DCSCF2728	Cortical Screw 2.7*28mm	5
DTY45150B	Rod $\Phi 4.5^* 150$	2	DCSCF2730	Cortical Screw 2.7*30mm	5
DTYLSW2535	Hex Wrench SW2.5/3.5	1	DCSCF2732	Cortical Screw 2.7*32mm	5
DTY60CSC	Depth Gague 60mm	1	DCSCF2734	Cortical Screw 2.7*34mm	5
DCQTYAKH SBG	AO QC Handle	1	DCSCF2736	Cortical Screw 2.7*36mm	5
DTY15NLSB	Torque Wrench 1.5N.m .	1	DCSCF2738	Cortical Screw 2.7*38mm	5
DTY04NLJT	Torque Limiter 0.4N.m .	1	DCSCF2740	Cortical Screw 2.7*40mm	5
DCQTOYDQD	TPLO Guider Large	1	DCSA02710	Locking Screw 2.7* 10mm	5
DCQTOCLCD	Angler	1	DCSA02712	Locking Screw 2.7* 12mm	5
DCQ2735TOM JHL2	One-piece Sterilization Box	1	DCSA02714	Locking Screw 2.7* 14mm	5

Coding	Product Description	Quantity	Coding	Product Description	Quantity
DCSA02716	Locking Screw 2.7* 16mm	5	DCSCF3526	Cotical Screw 3.5* 26mm	5
DCSA02718	Locking Screw 2.7* 18mm	5	DCSCF3528	Cotical Screw 3.5* 28mm	5
DCSA02720	Locking Screw 2.7* 20mm	5	DCSCF3530	Cotical Screw 3.5* 30mm	5
DCSA02722	Locking Screw 2.7* 22mm	5	DCSCF3532	Cotical Screw 3.5* 32mm	5
DCSA02724	Locking Screw 2.7* 24mm	5	DCSCF3534	Cotical Screw 3.5* 34mm	5
DCSA02726	Locking Screw 2.7* 26mm	5	DCSCF3536	Cotical Screw 3.5* 36mm	5
DCSA02728	Locking Screw 2.7* 28mm	5	DCSCF3538	Cotical Screw 3.5* 38mm	5
DCSA02730	Locking Screw 2.7* 30mm	5	DCSCF3540	Cotical Screw 3.5* 40mm	5
DCSA02732	Locking Screw 2.7* 32mm	5	DCSCF3542	Cotical Screw 3.5* 42mm	5
DCSA02734	Locking Screw 2.7* 34mm	5	DCSCF3544	Cotical Screw 3.5* 44mm	5
DCSA02736	Locking Screw 2.7* 36mm	5	DCSCF3545	Cotical Screw 3.5* 45mm	5
DCSA02738	Locking Screw 2.7* 38mm	5	DCSCF3550	Cotical Screw 3.5* 50mm	5
DCSA02740	Locking Screw 2.7* 40mm	5	DCSCF3560	Cotical Screw 3.5* 60mm	5
DCPMT27S 33R	2.7 TPLO S# R	1	DCSA03511	Locking Screw 3.5*8mm	5
DCPMT27M 33R	2.7 TPLO M# R	1	DCSA03512	Locking Screw 3.5*10mm	5
DCPMT27L 33R	2.7 TPLO L# R	1	DCSA03513	Locking Screw 3.5*12mm	5
DCPMT27S 33L	2.7 TPLO S# L	1	DCSA03514	Locking Screw 3.5*14mm	5
DCPMT27M 33L	2.7 TPLO M# L	1	DCSA03516	Locking Screw 3.5*16mm	5
DCPMT27L 33L	2.7 TPLO L# L	1	DCSA03518	Locking Screw 3.5*18mm	5
DCSCF3512	Cotical Screw 3.5* 12mm	5	DCSA03520	Locking Screw 3.5*20mm	5
DCSCF3514	Cotical Screw 3.5* 14mm	5	DCSA03522	Locking Screw 3.5*22mm	5
DCSCF3516	Cotical Screw 3.5* 16mm	5	DCSA03524	Locking Screw 3.5*24mm	5
DCSCF3518	Cotical Screw 3.5* 18mm	5	DCSA03526	Locking Screw 3.5*26mm	5
DCSCF3520	Cotical Screw 3.5* 20mm	5	DCSA03528	Locking Screw 3.5*28mm	5
DCSCF3522	Cotical Screw 3.5* 22mm	5	DCSA03530	Locking Screw 3.5*30mm	5
DCSCF3524	Cotical Screw 3.5* 24mm	5	DCSA03532	Locking Screw 3.5*32mm	5

Coding	Product Description	Quantity
DCSA03534	Locking Screw 3.5*34mm	5
DCSA03536	Locking Screw 3.5*36mm	5
DCSA03538	Locking Screw 3.5*38mm	5
DCSA03540	Locking Screw 3.5*40mm	5
DCSA03542	Locking Screw 3.5*42mm	5
DCSA03544	Locking Screw 3.5*44mm	5
DCSA03545	Locking Screw 3.5*45mm	5
DCSA03546	Locking Screw 3.5*46mm	5
DCSA03548	Locking Screw 3.5*48mm	5
DCSA03550	Locking Screw 3.5*50mm	5
DCSA03552	Locking Screw 3.5*52mm	5
DCSA03555	Locking Screw 3.5*55mm	1
DCSA03558	Locking Screw 3.5*58mm	1
DCSA03560	Locking Screw 3.5*60mm	1
DCSA03564	Locking Screw 3.5*64mm	1
DCSA03570	Locking Screw 3.5*70mm	1
DCPMT35S 33R	3.5 TPLO 9# Right	1
DCPMT35M 33R	3.5 TPLO 10# Right	1
DCPMT35L 44R	3.5 TPLO 10# L Right	1
DCPMT35S 33L	3.5 TPLO 9# Left	1
DCPMT35M 33L	3.5 TPLO 10# Left	1
DCPMT35L 44L	3.5 TPLO 10# L Left	1

TPLO Power Tool Kit -Animal Rotary Measuring Tool(Assistive Tool)

for animals



Coding

Product Description

DTP0021

Rotary Measuring Instrument

JIG TPLO Sight

for animals



Coding

Product Description

DJIGS

JIG Small Size, 85mm Opening

DJIGL

JIG Large Size, 115mm Opening

TPLO Reduction Forceps

for animals



Coding

Product Description

DTPLORFS

Small Size, Length 180mm

DTPLORFL



Large Size, Length 220mm

Mini
SystemSmall
SystemMedium
systemLarge
SystemAuxiliary
Tool

Spinal System

for animals

Spinal System

Spinal
system

Coding	Product Description	Quantity
D400001	Spinal System	1
D400002	Probe	1
D400003	Quick-Release Hex Screwdriver SW3.0	2
D400004	Template Rod	1
D400005	Cap Screw Holder	2
D400006	Rod Bender (Left)	1
D400007	Rod Bender (Right)	1
D400008	Poly Axial Pedicle Screw Driver	2
D400009	Open Cone	1
D400010	Anti-Rotation Sleeve	1
D400011	T-handle with AO Adaptor	1
D400012	Rod Holder	1
D400013	Distractor Forceps	1
D400014	Rod Cutter	1
D400015	Rod Pusher	1
D400016	Compression Forceps	1
D400017	Torque Handle	1
D400018	Implant box	1
D400019	Instrument box	1

Coding	Product Description	Quantity
D400020	2.5mm×14mm Multiaxial Spinal Nail	4
D400021	2.5mm×16mm Multiaxial Spinal Nail	4
D400022	2.5mm×18mm Multiaxial Spinal Nail	4
D400023	2.5mm×20mm Multiaxial Spinal Nail	4
D400024	2.5mm×22mm Multiaxial Spinal Nail	4
D400025	2.5mm×24mm Multiaxial Spinal Nail	4
D400026	3.0mm×16mm Multiaxial Spinal Nail	4
D400027	3.0mm×18mm Multiaxial Spinal Nail	4
D400028	3.0mm×20mm Multiaxial Spinal Nail	4
D400029	3.0mm×22mm Multiaxial Spinal Nail	4
D400030	3.0mm×24mm Multiaxial Spinal Nail	4
D400031	3.0mm×26mm Multiaxial Spinal Nail	4
D400032	3.5mm×16mm Multiaxial Spinal Nail	4
D400033	3.5mm×18mm Multiaxial Spinal Nail	4
D400034	3.5mm×20mm Multiaxial Spinal Nail	4
D400035	3.5mm×22mm Multiaxial Spinal Nail	4
D400036	3.5mm×24mm Multiaxial Spinal Nail	4
D400037	3.5mm×26mm Multiaxial Spinal Nail	4
D400038	Titanium Rod	2

Probe

for animals



Coding

Product Description

D400002

Probe

Quick-Release Hex Screwdriver SW3.0

for animals



Coding

Product Description

D400003

**Quick-Release Hex Screwdriver SW3.0,
Length 245mm**

Template Rod

for animals



Coding

Product Description

D400004

Template Rod

Cap Screw Holder

for animals



Coding

Product Description

D400005

Cap Screw Holder

Rod Bender

for animals



Coding

Product Description

D400006

Rod Bender (Left)

D400007

Rod Bender (Right)

Poly Axial Pedicle Screw Driver

for animals



Coding

Product Description

D400008

Poly Axial Pedicle Screw Driver

Open Cone

for animals



Coding

D400009

Product Description

Open Cone

Anti-Rotation Sleeve

for animals



Coding

D400010

Product Description

Anti-Rotation Sleeve

T-handle with AO Adaptor

for animals



Coding

D400011

Product Description

T-handle with AO Adaptor

Rod Holder

for animals



Coding

D400012

Product Description

Rod Holder

Distractor Forceps

for animals



Coding

D400013

Product Description

Distractor Forceps

Rod Cutter

for animals



Coding

D400014

Product Description

Rod Cutter

Rod Pusher

for animals



Coding

D400015

Product Description

Rod Pusher

Compression Forceps

for animals



Coding

D400016

Product Description

Compression Forceps

Torque Handle

for animals



Coding

D400017

Product Description

Torque Handle

Implant box

for animals



Coding

D400018

Product Description

Implant box

Instrument box

for animals



Coding

D400019

Product Description

Instrument box

Titanium rod

for animals



Coding

D400038

Product Description

titanium rod

2.5mm Multiaxial Spinal Nail

for animals



Coding	Product Description
D400020	14mm
D400021	16mm
D400022	18mm
D400023	20mm
D400024	22mm
D400025	24mm

3.0mm Multiaxial Spinal Nail

for animals



Coding	Product Description
D400026	16mm
D400027	18mm
D400028	20mm
D400029	22mm
D400030	24mm
D400031	26mm

3.5mm Multiaxial Spinal Nail

for animals




Coding	Product Description
D400032	16mm
D400033	18mm
D400034	20mm
D400035	22mm
D400036	24mm
D400037	26mm

Spinalsystem

for animals

Pulley Deepening System

Pulley
Deepening
System



Coding	Product Description	Quantity
DTRS ISET	Pulley Deepening System	1
D100072	Bone Hammer 270g	1
D100121	Small Trochlea Rasp	1
D100120	Large Trochlea Rasp	1
D100119	Ultra-thin bone saw, 0.25mm ultra-thin handheld	1
D100026	Double-ended File Straight	1
D100027	Double-ended File Bend	1
D200115	New ultra-thin Bone Knife 2mm	1
D200114	New ultra-thin Bone Knife 3mm	1
D200113	New ultra-thin Bone Knife 4mm	1
D200112	New ultra-thin Bone Knife 6mm	1
D200111	New ultra-thin Bone Knife 8mm	1
D200110	New ultra-thin Bone Knife 10mm	1
D200109	New ultra-thin Bone Knife 12mm	1
D200108	New ultra-thin Bone Knife 15mm	1
DTRS ISC	Metal Sterilization Box	1

Bone Hammer 270g

for animals



Coding	Product Description
D100072	Bone Hammer 270g

Pulley File

for animals



Coding	Product Description
D100120	Large Trochlea Rasp Φ 4.0mm
D100121	Small Trochlea Rasp Φ 3.0mm

Ultra-thin bone saw, 0.25mm ultra-thin handheld

for animals



Coding	Product Description
D100119	Ultra-thin bone saw, 0.25mm ultra-thin handheld

Double-headed Bone File

for animals



Coding	Product Description
D100026	Double-ended File Straight
D100027	Double-ended File Bend

New ultra-thin Bone Knife

for animals




Coding	Product Description
D200115	New ultra-thin Bone Knife 2mm
D200114	New ultra-thin Bone Knife 3mm
D200113	New ultra-thin Bone Knife 4mm
D200112	New ultra-thin Bone Knife 6mm
D200111	New ultra-thin Bone Knife 8mm
D200110	New ultra-thin Bone Knife 10mm
D200109	New ultra-thin Bone Knife 12mm
D200108	New ultra-thin Bone Knife 15mm



Metal Sterilization Box

for animals

Pulley
Deepening
System





Coding	Product Description
DTRS ISC	Size 270×185×47mm

Animal DPO System Kit

for animals

Animal DPO System Kit



Animal
DPO
System
Kit

Coding	Product Description	Quantity	Coding	Product Description	Quantity
D500001	Animal DPO System Kit	1	D500001	Animal DPO System Kit	1
D500002	Pubic Bone Dissector	1	D500008	DPO Lever 300×20mm	1
D200112	New ultra-thin Bone Scalpel 6mm	1	DDP025L	DPO Bone plate 25°L	1
D200111	New ultra-thin Bone Scalpel 8mm	1	DDP025R	DPO Bone plate 25°R	1
D500003	φ 4mm Bone Plate Fixation Rod(PIN)	1	DDP030L	DPO Bone plate 30°L	1
D100215	Screw Holder Large	1	DDP030R	DPO Bone plate 30°R	1
DDBL003	3.0mm Drill Bit Stopper& Spanner	1	DDC30T15	DC3.0×16mm Titanium Alloy Cortical Screw	2
DA0SDT15	AO Interface Quick-release Screwdriver T15	1	DDC30T15	DC3.0×18mm Titanium Alloy Cortical Screw	2
D100151	AO Quick Coupling Handle	1	DDC30T15	DC3.0×20mm Titanium Alloy Cortical Screw	2
D100210	50mm Depth Gauge	1	DDC30T15	DC3.0×22mm Titanium Alloy Cortical Screw	2
D500004	HC3.0/4.0 Locking Drill Guide	1	DTTP40T15	HC4.0×16mm Titanium Alloy Locking Screw	5
D500005	2mm Compression Drill Guide	1	DTTP40T15	HC4.0×18mm Titanium Alloy Locking Screw	5
DDB20120	φ 2.0mm Stainless Steel Drill Bit	3	DTTP40T15	HC4.0×20mm Titanium Alloy Locking Screw	5
DDB30150	φ 3.0mm Stainless Steel Drill Bit	3	DTTP40T15	HC4.0×22mm Titanium Alloy Locking Screw	5
D500006	DPO Bone Lever Small	1	D500009	DPO Integrated Implant Box	1
D500007	DPO Bone Lever Large	1	D500010	DPO Instrument Box	1

Pubic Bone Dissector

for animals



Coding

Product Description

D500002

Length 200mm

New ultra-thin Bone Scalpel

for animals



Coding

Product Description

D200112

New ultra-thin Bone Scalpel 6mm

D200111

New ultra-thin Bone Scalpel 8mm

Bone Plate Fixation Rod(PIN)

for animals



Coding

Product Description

D500003

Φ4.0mm

Screw Holder Large

for animals



Coding

Product Description

D100215

Screw Holder 3.5/4.0 Screw

3.0mm Drill Bit Stopper&Spanner

for animals



Coding

Product Description

DDBL003

3.0mm Drill Bit Stopper Set

AO Interface Quick-release Screwdriver

for animals



Coding

Product Description

DA0SDT15

T15 Torx screwdriver

AO Quick Coupling Handle

for animals



Coding

D100151

Product Description

PPSU Length 120mm

50mm Depth Gauge

for animals



Coding

D100210

Product Description

Suitable for 3.2/4.0mm Screws, 50mm

HC3.0/4.0 Locking Drill Guide

for animals



Coding

D500004

Product Description

HC3.0/4.0 Locking Drill Guide

2mm Compression Drill Guide

for animals



Coding

D500005

Product Description

2mm Compression Drill Guide

Stainless Steel Drill Bit

for animals



Coding

DDB20120

Product Description

Φ 2.0mm, Length 150mm

DDB30150

Φ 3.0mm, Length 150mm

DPO Dedicated Bone Lever

for animals



Coding

D500006

Product Description

Short Pointed Tip 205mm Small

D500007

Short Pointed Tip 245mm Large

DPO Lever

for animals



Coding

Product Description

D500008

Length 300mm width 20mmAnimal
DPO
System
Kit

DPO Bone plate

for animals



Coding

Product Description

DDP025L

25° L

DDP025R

25° R

DDP030L

30° L

DDP030R

30° R

DC3.0 Titanium Alloy Cortical Screw

for animals



Coding

Product Description

DDC30T15

**DC3.0mm Titanium Alloy Cortical
Screw, T15**

16mm

20mm

18mm

22mm

HC4.0 Locking Screw

for animals



Coding

Product Description

DTTP40T15

**HC4.0mm locking screw, T15
plum blossom**

16mm

20mm

18mm

22mm

Titanium TPLO Bone Plate - Small

for animals



Coding	Product Description
DTTP55L	5. 5mm L
DTTP55R	5. 5mm R
DTTP65L	6. 5mm L
DTTP65R	6. 5mm R

TPLO
BonePlate

ALPS
Titanium

Titanium
AO

Titanium TPLO Bone Plate - Medium

for animals



Coding	Product Description
DTTP75L	7. 5mm L
DTTP75R	7. 5mm R
DTTP85L	8. 5mm L
DTTP85R	8. 5mm R
DTTP95L	9. 5mm L
DTTP95R	9. 5mm R

Titanium TPLO Bone Plate - Large

for animals



Coding	Product Description
DTTP105L	10. 5mm L
DTTP105R	10. 5mm R
DTTP115L	11. 5mm L
DTTP115R	11. 5mm R

Titanium TPLO Bone Plate - Mini (AO)

for animals



Coding	Product Description
DA0TPL045L	4. 5mm L
DA0TPL045R	4. 5mm R

Titanium TPLO Bone Plate - Small (AO)

for animals



Coding	Product Description
DA0TPL055L	5. 5mm L
DA0TPL055R	5. 5mm R
DA0TPL065L	6. 5mm L
DA0TPL065R	6. 5mm R

Titanium TPLO Bone Plate - Medium(AO)

for animals



Coding	Product Description
DA0TPL075L	7. 5mm L
DA0TPL075R	7. 5mm R
DA0TPL085L	8. 5mm L
DA0TPL085R	8. 5mm R
DA0TPL095L	9. 5mm L
DA0TPL095R	9. 5mm R

Titanium TPLO Bone Plate -Large (AO)

for animals



Coding	Product Description
DA0TPL0100L	10. 5mm L
DA0TPL0100R	10. 5mm R
DA0TPL0115L	11. 5mm L
DA0TPL0115R	11. 5mm R




Titanium-modified TPLO Bone Plate - Small (AO)

for animals

TPLO
BonePlate

ALPS
Titanium

Titanium
AO



Coding	Product Description
DA0TPLOG55L	5. 5mm L
DA0TPLOG55R	5. 5mm R
DA0TPLOG65L	6. 5mm L
DA0TPLOG65R	6. 5mm R

ALPS-3 Mini Pure Titanium Locking Plate

for animals



Coding	Product Description
DALPS35	3.5mm Wide, 30 Holes, 1.5mm Thick, Length 135mm
DALPS42	4.2mm Wide, 26 Holes, 1.5mm Thick, Length 130mm

ALPS-5 Small Pure Titanium Locking Plate

for animals




Coding	Product Description
DALPS50	5.0mm Wide, 43 Holes, 2.0mm Thick Length 236.5mm
DALPS65	6.5mm Wide, 34 Holes, 2.2mm Thick, Length 238mm

—5.0mm titanium plate strength is equivalent to 2.0DCP
—6.5mm titanium plate strength is equivalent to 2.4DCP

ALPS-8 Medium-sized Pure Titanium Locking Plate

for animals




Coding	Product Description
DALPS75	7.5mm wide, 26 Holes, 2.5mm Thick, Length 234mm
DALPS80	8.0mm wide, 26Holes, 2.8mm Thick, Length 234mm
DALPS85	8.5mm wide, 22Holes, 2.8mm Thick, Length 234mm
DALPS90	9.0mm wide, 23Holes, 3.2mm Thick, Length 231mm

—7.5&8.0&8.5&9.0mm titanium plates have a strength equivalent to 2.7DCP

ALPS-10 Large Pure Titanium Locking Plate

for animals




Coding	Product Description
DALPS100	10.0mm wide, 20Holes, 4.2mm Thick, Length 240mm
DALPS110	11.0mm wide, 18Holes, 4.6mm Thick, Length 234mm
DALPS115	11.5mm wide, 18Holes, 4.0mm Thick, Length 234mm

—10.0–11.5mm titanium plate has a strength equivalent to 3.5DCP

1.1mm T-Type Plate

for animals



Coding	Product Description
DT101016	2x3 holes, head width 5.5mm, rod width 3mm, length 16mm
DT101024	2x5 holes, head width 5.5mm, rod width 3mm, length 24mm
DT101021	3x3 holes, head width 5.5mm, rod width 3mm, length 21mm
DT101027	3x3 holes, head width 5.5mm, rod width 3mm, length 21mm

1.1mm Reconstruction Cuttable Plate

for animals



Coding	Product Description
DCM10390	3mm Wide, 1.0mm Thick, 30 Holes, Length 90mm

1.1mm Cuttable Plate

for animals



Coding	Product Description
DCP10390	3mm Wide, 1.0mm Thick, 22 Holes Length 90mm

1.5mm Double T Cuttable Plate

for animals



Coding	Product Description
DDTP1504A	4mm Wide, 1.5mm Thick, 32 Holes, Length 148mm

2.0mm Double T Cuttable Plate


for animals



Coding	Product Description
DDTP2005C	5mm Wide, 1.8mm Thick, 29 Holes, Length 160mm

2.4mm Double T Cuttable Plate

for animals



Coding	Product Description
DDTP2465B	6.5mm Wide, 1.8mm Thick, 29 Holes, Length 192mm

ALPS Pure Titanium T-Type Locking Plate

for animals

TPLO
BonePlate

ALPS
Titanium

Titanium
AO


Coding	Product Description
DALPS35T2	Rod width 3.5mm, Head width 8mm, Length 30mm, 2×5 Holes
DALPS42T2	Rod width 4.2mm, Head width 9mm, Length 33mm, 2×5 Holes
DALPS50T2	Rod width 5.0mm, Head width 11mm, Length 38mm, 2×5 Holes
DALPS65T2	Rod width 6.5mm, Head width 13mm, Length 48mm, 2×5 Holes
DALPS80T2	Rod width 8.0mm, Head width 16mm, Length 60mm, 2×5 Holes
DALPS90T2	Rod width 9.0mm, Head width 18mm, Length 68mm, 2×5 Holes
DALPS100T2	Rod width 10.0mm, Head width 22mm, Length 79mm, 2×5 Holes
DALPS110T2	Rod width 11.0mm, Head width 23mm, Length 86mm, 2×5 Holes
DALPS35T3	Rod width 3.5mm, Head width 6.5mm, Length 31mm, 3×5 Holes
DALPS42T3	Rod width 4.2mm, Head width 7mm, Length 34mm, 3×5 Holes
DALPS50T3	Rod width 5.0mm, Head width 9mm, Length 39mm, 3×5 Holes

ALPS Pure Titanium L-Type Locking Plate

for animals



Coding	Product Description
DTLP50L	5.0mm Wide, 3+8Holes, Length 61mm, L
DTLP50R	5.0mm Wide, 3+8Holes, Length 61mm, R
DTLP65L	6.5mm Wide, 3+8Holes, Length 78mm, L
DTLP65R	6.5mm Wide, 3+8Holes, Length 78mm, R
DTLP80L	8.0mm Wide, 3+8Holes, Length 98mm, L
DTLP80R	8.0mm Wide, 3+8Holes, Length 98mm, R
DTLP90L	9.0mm Wide, 3+8Holes, Length 113mm, L
DTLP90R	9.0mm Wide, 3+8Holes, Length 113mm, R
DTLP100L	10.0mm Wide, 3+8Holes, Length 129mm, L
DTLP100R	10.0mm Wide, 3+8Holes, Length 129mm, R
DTLP110L	11.0mm Wide, 3+8Holes, Length 141mm, L
DTLP110R	11.0mm Wide, 3+8Holes, Length 141mm, R

6.5mm Titanium ALPS Locking Neutral Plate


for animals



Coding	Product Description
DALPSBP65	6.5mm Wide, 2.2mm Thick, 18 Holes, Length 210mm

Titanium ALPS Tarsal Joint Fusion Plate

for animals



Coding	Product Description
DALPSFJ5065L	5.0/6.5mm, Angle 120°, Thick 2.2mm, L
DALPSFJ5065R	5.0/6.5mm, Angle 120°, Thick 2.2mm, R
DALPSFJ6580L	6.5/8.0mm, Angle 130°, Thick 2.8mm, L
DALPSFJ6580R	6.5/8.0mm, Angle 130°, Thick 2.8mm, R
DALPSFJ7590L	77.5/9.0mm, Angle 130°, Thick 3.2mm, L
DALPSFJ7590R	7.5/9.0mm, Angle 130°, Thick 3.2mm, R

Mini Titanium AO Locking Plate

for animals



Coding

Product Description

DAOLP35

3.5mm wide, 30 holes, 1.5mm thick,
length 135mm

DAOLP42

4.2mm wide, 26 holes, 1.5mm thick,
length 130mm

TPLO
BonePlate

ALPS
Titanium

Small Titanium AO Locking Plate

for animals



Coding

Product Description

DAOLP50

5.0mm wide, 30 holes, 2.0mm thick,
length 165mm

DAOLP65

6.5mm wide, 34 holes, 2.2mm thick,
length 238mm

Titanium
AO

Medium Titanium AO Locking Plate

for animals



Coding

Product Description

DAOLP80

8.0mm wide, 26 holes, 2.8mm thick,
length 234mm

DAOLP90

9.0mm wide, 23 holes, 3.2mm thick,
length 231mm

Large Titanium AO locking plate

for animals



Coding

Product Description

DAOLP100


10.0mm wide, 20 holes, 4.2mm thick,
length 240mm

DAOLP110

11.0mm wide, 18 holes, 4.6mm thick,
length 234mm

Pure Titanium AO Locking Double T-Type Plate


for animals



Coding	Product Description
DA0DT50	Rod width 5.0mm, head width 8.5mm, thickness 1.8mm, 20 holes, total length 100mm

Pure Titanium AO Locking Double T-Type Plate


for animals



Coding	Product Description
DA0DT65	Rod width 6.5mm, head width 11.0mm, thickness 2.2mm, 20 holes, total length 126mm

Pure Titanium AO Locking Double L-Type Plate

for animals



Coding	Product Description
DA0DL50	5.0mm wide, 2mm thick, 20 holes, total length 110mm
DA0DL65	6.5mm wide, 2.2mm thick, 20 holes, total length 144mm

6.5mm Titanium AO Locking Neutral Plate

for animals



Coding	Product Description
DA0BP65	6.5mm wide, 2.6mm thick, 18 holes, total length 210mm

Pure Titanium AO Locking T-Plate


for animals



Coding	Product Description
DAOST80	Rod width 8.0mm, head width 16mm, thickness 2.8mm, 2×5 holes, total length 60mm
DAOST90	Rod width 9.0mm, head width 18mm, thickness 3.2mm, 2×5 holes, total length 68mm

Pure Titanium AO Locking L-Plate


for animals



Coding	Product Description
DAOSL80L	8.0mm wide, 2.8mm thick, 3+8 holes, total length 98mm, L
DAOSL80R	8.0mm wide, 2.8mm thick, 3+8 holes, total length 98mm, R
DAOSL90L	9.0mm wide, 3.2mm thick, 3+8 holes, total length 114mm, L
DAOSL90R	9.0mm wide, 3.2mm thick, 3+8 holes, total length 114mm, R

Titanium AO Tarsal Joint Fusion Plate

for animals



Coding	Product Description
DAOFJ5065	5.0/6.5mm, Angle 120° , 2.2mm Thick, L
DAOFJ5065	5.0/6.5mm, Angle 120° , 2.2mm Thick, R
DAOFJ6580	6.5/8.0mm, Angle 130° , 2.8mm Thick, L
DAOFJ6580	6.5/8.0mm, Angle 130° , 2.8mm Thick, R
DAOFJ7590	7.5/9.0mm, Angle 130° , 3.2mm Thick, L
DAOFJ7590	7.5/9.0mm, Angle 130° , 3.2mm Thick, R

HC2.4mm Titanium Alloy Locking Screw, T6 Torx

for animals

TPLO
ScrewMultiple
spinal
nailsTitanium
Alloy
Cortical
ScrewTitanium
AO
Locking
Screw

Coding	Product Description		
DTTP24T6	HC2.4mm Titanium Alloy Locking Screw, T6 Torx		
	12mm	20mm	28mm
	14mm	22mm	30mm
	16mm	24mm	
	18mm	26mm	

HC3.5mm Titanium Alloy Locking Screw, T10 Torx

for animals



Coding	Product Description		
DTTP35T10	HC3.5mm Titanium Alloy Locking Screw, T10 Torx		
	20mm	28mm	36mm
	22mm	30mm	38mm
	24mm	32mm	40mm
	26mm	34mm	

HC4.0mm Titanium Alloy Locking Screw, T15 Torx

for animals



Coding	Product Description		
DTTP40T15	HC4.0mm Titanium Alloy Locking Screw, T15 Torx		
	26mm	32mm	38mm
	28mm	34mm	40mm
	30mm	36mm	42mm

2.0mm Multiaxial Spinal Nail

for animals

TPLO
Screw

Multiple
spinal
nails

Titanium
Alloy
Cortical
Screw

Titanium
AO
Locking
Screw


Coding	Product Description
D400039	10mm
D400040	12mm
D400041	14mm
D400042	16mm
D400043	18mm

2.5mm Multiaxial Spinal Nail

for animals



Coding	Product Description
D400020	14mm
D400021	16mm
D400022	18mm
D400023	20mm
D400024	22mm
D400025	24mm

3.0mm Multiaxial Spinal Nail

for animals



Coding	Product Description
D400026	16mm
D400027	18mm
D400028	20mm
D400029	22mm
D400030	24mm
D400031	26mm

3.5mm Multiaxial Spinal Nail

for animals

TPLO Screw
Multiple spinal nails
Titanium Alloy Cortical Screw
Titanium AO Locking Screw



Coding	Product Description
D400032	16mm
D400033	18mm
D400034	20mm
D400035	22mm
D400036	24mm
D400037	26mm

C1.1mm Titanium Alloy Cortical Screw, 1.1 Cross

for animals

TPLO
Screw

Multiple
spinal
nails



Coding	Product Description		
DALPSC11	1.1 Cross-shaped Interface, For use with ALPS3.5/4.2		
	4mm	7mm	10mm
	5mm	8mm	12mm
	6mm	9mm	

Titanium
Alloy
Cortical
Screw

C1.5mm Titanium Alloy Cortical Screw, T6 Torx

for animals

Titanium
AO
Locking
Screw



Coding	Product Description		
DALPSC15	T6 Torx connector, compatible with ALPS5/6.5		
	6mm	12mm	22mm
	7mm	14mm	24mm
	8mm	16mm	26mm
	9mm	18mm	28mm
	10mm	20mm	30mm

C2.0mm Titanium Alloy Cortical Screw, T6 Torx

for animals



Coding	Product Description		
DALPSC20	T6 Torx connector, compatible with ALPS5/6.5		
	6mm	14mm	24mm
	7mm	16mm	26mm
	8mm	18mm	28mm
	10mm	20mm	30mm
	12mm	22mm	

C2.4mm Titanium Alloy Cortical Screw, T10 Torx

for animals

TPLO
Screw

Multiple
spinal
nails

Titanium
Alloy
Cortical
Screw

Titanium
AO
Locking
Screw



Coding	Product Description		
DALPSC24	T10 Torx connector, compatible with ALPS 8.0/9.0		
	8mm	18mm	28mm
	10mm	20mm	30mm
	12mm	22mm	32mm
	14mm	24mm	
	16mm	26mm	

C2.7mm Titanium Alloy Cortical Screw, T10 Torx

for animals



Coding	Product Description		
DALPSC27	T10 Torx connector, compatible with ALPS 8.0/9.0		
	10mm	20mm	30mm
	12mm	22mm	32mm
	14mm	24mm	34mm
	16mm	26mm	
	18mm	28mm	

B1.6mm Titanium Alloy Locking Screw, 1.1 Cross

for animals



Coding	Product Description	
DALPSB16	1.1 Cross-shaped Interface, For use with ALPS2.5/4.2	
	4mm	8mm
	5mm	9mm
	6mm	10mm
	7mm	12mm

TPLO Screw

Multiple spinal nails

Titanium Alloy Cortical Screw

Titanium AO Locking Screw

B2.4mm Titanium Alloy Locking Screw, T6 Torx

for animals



Coding	Product Description		
DALPSB24	T6 Torx connector, compatible with ALPS5/6.5		
	5mm	12mm	20mm
	6mm	14mm	22mm
	8mm	16mm	24mm
	10mm	18mm	

B3.2mm Titanium Alloy Locking Screw, T10 Torx

for animals



Coding	Product Description		
DALPSB32	T10 Torx connector, compatible with ALPS 8.0/9.0		
	8mm	18mm	28mm
	10mm	20mm	30mm
	12mm	22mm	32mm
	14mm	24mm	34mm
	16mm	26mm	

4.0mm Titanium Alloy Locking Screw, T10 Torx

for animals



Coding	Product Description		
DALPSB40	T10 Torx connector, compatible with ALPS10/11.0		
	10mm	22mm	34mm
	12mm	24mm	36mm
	14mm	26mm	38mm
	16mm	28mm	40mm
	18mm	30mm	
	20mm	32mm	

AO-1.5mm Titanium Alloy Locking Screw, T6 Torx

for animals



Coding	Product Description		
DA0LC15T6	AO-1.5mm Titanium Alloy Locking Screw, T6 Torx		
	6mm	10mm	16mm
	7mm	12mm	18mm
	8mm	14mm	20mm
	9mm		

TPLO
Screw

Multiple
spinal
nails

Titanium
Alloy
Cortical
Screw

Titanium
AO
Locking
Screw

AO-2.0mm Titanium Alloy Locking Screw, T6 Torx

for animals



Coding	Product Description		
DA0LC20T6	AO-2.0mm Titanium Alloy Locking Screw, T6 Torx		
	6mm	12mm	20mm
	7mm	14mm	22mm
	8mm	16mm	24mm
	9mm	18mm	26mm
	10mm		

AO-2.4mm Titanium Alloy Locking Screw, T8 Torx

for animals



Coding	Product Description		
DA0LC24T8	AO-2.4mm Titanium Alloy Locking Screw, T8 Torx		
	8mm	16mm	24mm
	10mm	18mm	26mm
	12mm	20mm	28mm
	14mm	22mm	30mm

AO-2.7mm Titanium Alloy Locking Screw, T8 Torx

for animals



Coding	Product Description		
DAOLC27T8	AO-2.7mm Titanium Alloy Locking Screw, T8 Torx		
	10mm	20mm	28mm
	12mm	22mm	30mm
	14mm	24mm	32mm
	16mm	26mm	34mm
	18mm		

TPLO
Screw

Multiple
spinal
nails

Titanium
Alloy
Cortical
Screw

Titanium
AO
Locking
Screw

AO-3.5mm Titanium Alloy Locking Screw, T15 Torx

for animals



Coding	Product Description		
DAOLC35T15	AO-3.5mm Titanium Alloy Locking Screw, T15 Torx		
	10mm	24mm	38mm
	12mm	26mm	40mm
	14mm	28mm	45mm
	16mm	30mm	
	18mm	32mm	
	20mm	34mm	
	22mm	36mm	

Matching use of locking screws and drill bits

Screw Diameter (mm)					
Screw Diameter	1.5	2.0	2.4	2.7	3.5
Screw Type	Locking Screw				
					
Drill bit Diameter	1.1	1.5	1.8	2.0	2.8
Screw Driver	T6 Torx	T6 Torx	T8 Torx		T15 Torx

Stainless Steel Kirschner Wire- single head

for animals



Coding	Product Description
DSKS08	0. 8mm
DSKS10	1. 0mm
DSKS12	1. 2mm
DSKS15	1. 5mm
DSKS18	1. 8mm
DSKS20	2. 0mm
DSKS25	2. 5mm
DSKS30	3. 0mm
DSKS35	3. 5mm
DSKS40	4. 0mm

Stainless
steel
Kirschner
wire

Titanium
alloy
Kirschner
wire

Titanium
Alloy
Kieshner
Wire-
singlehead


Titanium
Alloy
Breakable
Fixation
Pin

artificial
ligament

Steel
Wire

Stainless Steel Kirschner Wire- double head

for animals



Coding	Product Description
DSKD08	0. 8mm
DSKD10	1. 0mm
DSKD12	1. 2mm
DSKD15	1. 5mm
DSKD20	2. 0mm
DSKD25	2. 5mm
DSKD30	3. 0mm
DSKD35	3. 5mm
DSKD40	4. 0mm

Titanium Alloy Kirschner Wire- single head


for animals

Stainless
steel
Kirschner
wire

Titanium
alloy
Kirschner
wire

Titanium
Alloy
Kirschner
Wire-
singlehead

Titanium
Alloy
Breakable
Fixation
Pin



Coding	Product Description
DTKS08	0.8mm
DTKS10	1.0mm
DTKS12	1.2mm
DTKS15	1.5mm
DTKS20	2.0mm
DTKS25	2.5mm
DTKS30	3.0mm
DTKS35	3.5mm
DTKS40	4.0mm

artificial
ligament

AO Titanium Alloy Elastic Nail

for animals


Steel
Wire



Coding	Product Description
DA0EN12	AO Elastic Nail 1.2mm
DA0EN15	AO Elastic Nail 1.5mm
DA0EN18	AO Elastic Nail 1.8mm
DA0EN20	AO Elastic Nail 2.0mm
DA0EN25	AO Elastic Nail 2.5mm
DA0EN30	AO Elastic Nail 3.0mm
DA0EN35	AO Elastic Nail 3.5mm
DA0EN40	AO Elastic Nail 4.0mm
DA0ENFS	Titanium Alloy End Cap Small
DA0ENFL	Titanium Alloy End Cap Large

Titanium Alloy Breakable Fixation Pin

for animals



Coding	Product Description
DSAP25	Titanium Alloy Breakable Fixation Pin 2.5mm
DSAP30	Titanium Alloy Breakable Fixation Pin 3.0mm
DSAP40	Titanium Alloy Breakable Fixation Pin 4.0mm

Stainless steel Kirschner wire

Titanium alloy Kirschner wire

Titanium Alloy Kirschner Wire-singlehead

Titanium Alloy Breakable Fixation Pin

artificial ligament

Steel Wire

Artificial Ligament

for animals



Coding	Product Description
DAL075	Artificial Ligament 75lb + Hollow Tube
DAL150	Artificial Ligament 150lb + Hollow Tube
DAL250	Artificial Ligament 250lb + Hollow Tube

Titanium Alloy Braided Button

for animals



Coding	Product Description
DTSB20	Titanium Alloy Braided Button

Column Lock

for animals



Coding	Product Description
DTOG30	Column Lock ϕ 3.0×25mm
DTOG25	Column Lock ϕ 2.5×20mm
DTOG20	Column Lock ϕ 2.0×15mm
DTOGS30	Column Lock ϕ 3.0×25mm + Artificial Ligament 250lb + Titanium Alloy Braided Button Suit
DTOGS25	Column Lock ϕ 2.5×20mm+Artificial Ligament 150lb+ Titanium Alloy Braided Button Suit
DTOGS20	Column Lock ϕ 2.0×15mm+Artificial Ligament 75lb+ Titanium Alloy Braided Button Suit

Screw Washer

for animals



Coding	Product Description
DPW1520	Screw Washer 1.5/2.0mm Screw Stainless Steel
DPW2224	Screw Washer 2.2/2.4mm Screw Stainless Steel
DPW2730	Screw Washer 2.7/3.0mm Screw Stainless Steel
DPW3540	Screw Washer 3.5/4.0mm Screw Stainless Steel

Stainless steel Kirschner wire

Needle Threader

for animals



Coding	Product Description
DWT12200	Needle Threader 1.2×200mm

Titanium alloy Kirschner wire

Titanium Alloy Kirschner Wire-singlehead

Titanium Alloy Breakable Fixation Pin

Stainless Steel Wire

for animals



Coding	Product Description
DMW0360	Stainless Steel Wire 0.3mm Length 6m
DMW0560	Stainless Steel Wire 0.5mm Length 6m
DMW0860	Stainless Steel Wire 0.8mm Length 6m
DMW1060	Stainless Steel Wire 1.0mm Length 6m
DMW1260	Stainless Steel Wire 1.2mm Length 6m
DMW0325	Stainless Steel Wire 0.3mm Length 2.5m
DMW0525	Stainless Steel Wire 0.5mm Length 2.5m
DMW0825	Stainless Steel Wire 0.8mm Length 2.5m
DMW1025	Stainless Steel Wire 1.0mm Length 2.5m
DMW1225	Stainless Steel Wire 1.2mm Length 2.5m

artificial ligament

Steel Wire



Reduction Forcep with limit

for animals



Coding

Product Description

D100004

**Maximum Opening 64mm
Length 175mm**

Multi-Functional Bone Holding Forceps

for animals



Coding

Product Description

D100005

**Maximum Opening 20mm,
Length 139mm**

Aiming Reduction Forceps Small

for animals

General
Orthopedic
Surgical
Instruments
for Animals

Coding	Product Description
D100006	Maximum Opening 30mm, Length 144mm, Includes 3 Drill Sleeves
D110006	Small Aiming Frame With 3 Drill Sleeves
D120006	1.1mm Drill Sleeve
D130006	1.5mm Drill Sleeve
D140006	1.8mm Drill Sleeve

Aiming Reduction Forceps Large

for animals



Coding	Product Description
D100007	Maximum Opening 60mm, Length 178mm, Includes 3 Drill Sleeves
D110007	Large Aiming Frame With 3 Drill Sleeves
D120007	1.8mm Drill Sleeve
D130007	2.0mm Drill Sleeve
D140007	2.5mm Drill Sleeve

Reduction Forceps With Point

for animals



Coding	Product Description
D100009	Small, Length 140mm
D100010	Medium, Length 160mm
D100011	Large, Length 180mm

Extra-large Reduction Forceps With Point

for animals



Coding	Product Description
D100012	Extra-large, Length 205mm

Reduction Forcep With Jaws

for animals



Coding	Product Description
D100017	6mm Grasp , Length 150mm
D100018	3mm Grasp , Length 150mm

Spherical with pointed Reduction Forceps

for animals



Coding	Product Description
D100014	Spherical 5mm, Length 160mm
D100015	Spherical 3mm Length 135mm

BS Bone Holding Forcep

for animals



Coding	Product Description
D100023	BS Bone Holding Forcep, Length 150mm

Self Locking Reduction Forcep

for animals



Coding	Product Description
D100024	Length 180mm
D100025	Length 205mm

Se-Centering Bone Holding Forcep


for animals



Coding	Product Description
D100031	Extra-small, Length 150mm
D100032	Small, Length 180mm
D100033	Large, Length 240mm

Kern Bone Holding Forcep

for animals



Coding	Product Description
D100034	Mini, Length 150mm
D100035	Small, Length 170mm

Plate Holding Forceps

for animals



Coding	Product Description
D100037	3mm Spherical, Length 160mm
D100038	5mm Spherical, Length 160mm

Heavy Wire Cutter

for animals



Coding

D100041

Product Description

Cutting Range 6mm, Length 530mm

Medium Wire Cutter

for animals



Coding

D100042

Product Description

Cutting Range 4mm, Length 370mm

Front End Cutting Forcep

for animals



Coding

D100045

Product Description

Cutting Range 2.5mm, Length 235mm

Small Wire Cutter

for animals



Coding

D100046

Product Description

Cutting Range 2.5mm 210mm

Wire Pliers

for animals



Coding	Product Description
D100048	Flat, Length 220mm
D100049	Sharp, Length 200mm

Jacobs Chuck

for animals



Coding	Product Description
D100058	Straight Handle 0-4mm

Jacobs Chuck

for animals



Coding	Product Description
D100059	T Handle (Self-locking) 0-6mm

Wire Tightener

for animals



Coding	Product Description
D100061	Length 260mm

Wire Guider

for animals



Coding	Product Description
D100062	Wire Guider

Wire Twister/Cutter

for animals



Coding

D100063

Product Description

Regular version, Length 150mm

K Wire Bender

for animals



Coding

D100066

Product Description

The Area of Application 0.6-2.5mm
Length 140mm

Bone Hammet

for animals



Coding

D100071

Product Description

150g

D100072

270g

D100073

350g

Plates Bender Three-point Type

for animals



Coding	Product Description
D100080	Three-point Type, Length 380mm

AO Reconstruction Plate Bende

for animals



Coding	Product Description
D100081	AO Reconstruction Plate Bende



lateral bend



face bend



face bend

Double Joint Bone cutter

for animals



Coding	Product Description
D100087	Slightly Bent 2mm Blade Edge, Length 160mm
D100088	Slightly Bent 3mm Blade Edge, Length 160mm
D100089	Slightly Bent 5mm Blade Edge, Length 160mm
D100090	Straight 2mm Blade Edge, Length 160mm
D100091	Straight 3mm Blade Edge, Length 160mm
D100092	Straight 5mm Blade Edge, Length 160mm

Double Head Periosteal Elevator

for animals



Coding	Product Description
D100100	3mm
D100101	5mm

AO Type Periosteal Elevator

for animals



Coding	Product Description
D100102	Curve 4mm, Length 180mm
D100103	Flat 4mm, Length 180mm
D100104	curve 6mm, Length 180mm
D100105	Flat 6mm, Length 180mm
D100106	curve 8mm, Length 180mm
D100107	Flat 8mm, Length 180mm

Double Sided Blade Bone Knife/bone Chisel

for animals



Coding	Product Description
D100108	15 × 200mm
D100109	12 × 200mm
D100110	10 × 200mm
D100111	8 × 200mm
D100112	6 × 180mm
D100113	5 × 180mm
D100114	4 × 180mm
D100115	3 × 180mm

Bone Rasp Silicone Handle

for animals



Coding	Product Description
D100116	Slightly Bent 5mm Wide
D100117	Straight 5mm Wide

Ultra-thin Bone Saw

for animals



Coding	Product Description
D100119	0.25mm Incision, Handheld

Trochlea Rasp

for animals



Coding	Product Description
D100120	Large, Diameter 4.0mm
D100121	Small, Diameter 3.0mm

Mini Hoffman Retractor

for animals



Coding	Product Description
D100128	6mm Blade Width, Length 165mm
D100129	8mm Blade Width, Length 165mm
D100130	112mm Blade Width, Length 165mm

General
Orthopedic
Surgical
Instruments
for Animals

Femoral Bone Retractor

for animals



Coding	Product Description
D100131	Large, 255×25×36mm
D100132	Medium, 175×13×18mm
D100133	Small, 125×8×12mm

Mini Hoffman Retractor 4mm

for animals



Coding	Product Description
D100134	4mm Blade Width, Length 160mm

Gelpi self Retaining Retractor

for animals



Coding	Product Description
D100135	Length 100mm
D100136	Length 140mm
D100137	Length 160mm

Knee Joint Distractor Forceps

for animals



Coding	Product Description
D100138	Length 160mm
D100139	Length 140mm

Double Head Hook

for animals



Coding

D100140

Product Description

Blunt Teeth

Skin Hook

for animals



Coding

D100141

Product Description

Double Teeth

D100142

Single Teeth

Self-Retaining Retractor

for animals



Coding

D100143

Product Description

Length 140mm

D100144

Length 160mm

Circular Ligament Cutter

for animals



Coding

D200001

Product Description

Small, 8×12mm, Length 230mm

D200002

Medium, 12×18mm, Length 260mm

D200003

Large, 20×30mm, Length 280mm

AO Interface T-shaped Quick Coupling Handle

for animals



Coding	Product Description
D100149	AO Interface T-shaped Quick CouplingHandle

AO Quick Coupling Handle

for animals



Coding	Product Description
D100147	Silicone Handle, Length 140mm
D100118	Silicone Handle, Length 150mm



Drill Bit Stopper

for animals



Coding	Product Description
DDBL001	1.8mm Drill Bit Stopper Suit
DDBL002	2.5mm Drill Bit Stopper Suit
DDBL003	3.0mm Drill Bit Stopper Suit
DDBL004	3.2mm Drill Bit Stopper Suit

Stainless Steel Drill Bit

for animals



Coding	Product Description
DDB0860	Φ 0.8mm, Length 60mm
DDB1190	Φ 1.1mm, Length 100mm
DDB15100	Φ 1.5mm, Length 50mm
DDB18120	Φ 1.8mm, Length 150mm
DDB20120	Φ 2.0mm, Length 150mm
DDB25150	Φ 2.5mm, Length 150mm
DDB27150	Φ 2.7mm, Length 150mm
DDB30150	Φ 3.0mm, Length 150mm
DDB32150	Φ 3.2mm, Length 150mm

AO Quick Coupling Drill Bit

for animals



Coding	Product Description
DAODB0860	Φ 0.8mm, Length 60mm
DAODB1190	Φ 1.1mm, Length 90mm
DAODB15100	Φ 1.5mm, Length 100mm
DAODB18120	Φ 1.8mm, Length 120mm
DAODB20150	Φ 2.0mm, Length 120mm
DAODB25150	Φ 2.5mm, Length 150mm
DAODB27150	Φ 2.7mm, Length 150mm
DAODB32150	Φ 3.2mm, Length 150mm

AO Quick Coupling Tap

for animals

General
Orthopedic
Surgical
Instruments
for Animals

Coding	Product Description
D100161	1.5mm Cortical Bone Tap
D100162	2.0mm Cortical Bone Tap
D100163	2.7mm Cortical Bone Tap
D100164	3.5mm Cortical Bone Tap
D100165	4.0mm Cancellous Bone Tap

Double Drill Guide

for animals



Coding	Product Description
D100168	0.8/1.1
D100169	1.1/1.5
D100170	1.5/2.0
D100171	1.8/2.4
D100172	2.0/2.7
D100173	2.5/3.5
D100174	3.2/4.5

Universal Drill Guide

for animals



Coding	Product Description
D100175	1.5/2.0
D100176	1.8/2.4
D100177	2.0/2.7
D100178	2.5/3.5

Screwdriver 1.5/2.0/2.4 Screw

for animals



Coding	Product Description
D100185	Screw Holder Sleeve, Suitable For 1.5/ 2.0/2.4mm Screws
D100186	1.5mm Screw Driver (Hex)
D100187	1.5mm Screw Driver (Hex) + Screw Holder Sleeve

Screwdriver 2.7/3.5 Screw

for animals



Coding	Product Description
D100188	Screw Holder Sleeve, Suitable For 2.7/3.5 Screws
D100189	2.5mm Screw Driver (Hex)
D100190	2.5mm Screw Driver (Hex) + Screw Holder Sleeve

AO Quick Coupling Screwdriver

for animals



Coding	Product Description
D100194	1.5mm Screw Driver (Hex) AO Quick Coupling
D100195	2.0mm Screw Driver (Hex) AO Quick Coupling
D100196	2.5mm Screw Driver (Hex) AO Quick Coupling
D100197	3.5mm Screw Driver (Hex) AO Quick Coupling

AO Quick Coupling Torx Head Screw Driver

for animals



Coding	Product Description
DA0SDT4	T4 Torx Head Screw Driver
DA0SDT6	T6 Torx Head Screw Driver
DA0SDT8	T8 Torx Head Screw Driver
DA0SDT10	T10 Torx Head Screw Driver
DA0SDT15	T15 Torx Head Screw Driver

Depth Gauge

for animals



Coding	Product Description
D100209	30mm Small, Suitable For 1.5/2.0mm Screws
D100210	40mm Medium, Suitable For 2.4/2.7mm Screws
D100211	50mm Large, Suitable For 3.5/4.0mm Screws

Screw Holder

for animals



Coding	Product Description
D100213	Small, 1.5/2.0 Screw
D100214	Medium, 2.4/2.7 Screw
D100215	Large, 3.5/4.0 Screw

Intestinal Clamp

for animals



Coding	Product Description
D100232	220mm Straight
D100233	220mm Bend

Snook Hook

for animals



Coding	Product Description
D100236	Canine Snook Hook 180mm
D100237	Felines Snook Hook 150mm

German Heraeus Bone Cement

for animals



Coding	Product Description
D100239-1	LV Low Viscosity
D100239-2	R High Viscosity

Laminectomy Rongeur

for animals



Coding	Product Description
D100240	1mm Incision
D100241	2mm Incision
D100242	3mm Incision

K Wire Box

for animals

General
Orthopedic
Surgical
Instruments
for Animals



Coding	Product Description
D100248	K Wire Storage Box, Empty Box Size 330x140x50mm
D100249	K Wire Storage Box, 330x140x50mm Containing 50 Wire 1.0/1.2/1.5/2.0/2.5mm Ten Each
D200249	K Wire Storage Box, 330x140x50mm Containing 90 Wire 0.8/1.0/1.2/1.5/2.0/2.5/3.0/3.5/4.0mm Ten Each

K Wire Storage Bin

for animals



Coding	Product Description
D100050	K Wire Storage Bin, Empty Box Size 280mm
D100051	K Wire Storage Bin, 280mm, Containing 70 Wire 0.8/1.0/1.2/1.5/1.8/2.0/2.5mm Ten Each

Drill Bit Storage Bin

for animals

General
Orthopedic
Surgical
Instruments
for Animals



Coding	Product Description
D100054	Drill Bit Storage Bin, Empty Box Size 170mm
D100055	Drill Bit Storage Bin, 170 mm Containing 45 Drill Bits 0.8/1.1/1.5/1.8/2.0/2.5/2.7/3.0/3.2mm Five Each

AO Locking Thread Integrated Implant Box

for animals




General
Orthopedic
Surgical
Instruments
for Animals

Coding	Product Description
D100028	AO integrated implant case dimensions (empty): 260×120×56mm
D100029	The integrated AO locking pin implant case measures 260×120×56mm (including 242 titanium alloy AO locking pins + pin case).
	Six 1.5mm titanium AO locking self-tapping screws each (6, 7, 8, 9, 10, 12, 14, 16mm)
	Six ϕ 2.0mm titanium AO locking self-tapping screws each (6, 8, 10, 12, 14, 16, 18, 20mm)
	Six ϕ 2.4mm titanium AO locking self-tapping screws each (8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32mm)
	ϕ 2.7mm titanium AO locking self-tapping screws: 6 screws each of 10, 12, 14, 16, 18, and 20mm; 4 screws each of 22, 24, 26, 28, 30, and 32mm.
D100030	The integrated AO AO implant case measures 260×120×56mm (including 242 stainless steel AO AO stubs + case).
	Six ϕ 1.5mm stainless steel self-tapping locking screws each (6, 7, 8, 9, 10, 12, 14, 16mm)
	Six ϕ 2.0mm stainless steel self-tapping locking screws each in sizes 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, and 26mm.
	Six ϕ 2.4mm stainless steel self-tapping locking screws each (8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm)
	ϕ 2.7mm stainless steel self-tapping locking screws: 6 screws each of 10, 12, 14, 16, 18, and 20mm; 4 screws each of 22, 24, 26, 28, 30, 32, and 34mm.

Basic Orthopedic Instrument Kit

for animals

Basic Orthopedic Instrument Kit



- | | | |
|------------------------|---------------------------------|---------------------------|
| 1: Wire guide | 8: Periosteal elevator | 16: Drill bit |
| 2: Trial mold (green) | 9: Bone lever | 17: Drill bit |
| 3: Trial mold (yellow) | 10: Bone chisel | 18: Kirschner wire driver |
| 4: Two-jaw pull hook | 11: Double-sided flat bone file | 19: Kirschner wire driver |
| 5: Three-jaw pull hook | 12: Forceps | 20: Kirschner wire bender |
| 6: Four-jaw pull hook | 13: AO quick-change handle | 21: Large round file |
| 7: Bone pry bar | 14: Tap | 22: Small round file |
| | 15: Screwdriver handle | |

Basic Orthopedic Instrument Kit


for animals

Basic Orthopedic Instrument Kit



1. Hand drill
2. Knee joint spreader
3. Point-type reduction forceps
4. Knee joint spreader
5. Kern forceps
6. Plate holder

Basic Orthopedic Instrument Kit



1. Bone hammer
2. Bone biting forceps
3. Hard-plate beveled scissors
4. Small force shears
5. Multi-functional bending tool

BS 7.2V Electric Hollow Drill Set

for animals

Orthopedic
power
system

Coding	Product Description
D100252	BS 7.2V Electric Hollow Drill Set (Black)
D100253	BS 7.2V Battery
D100254	BS 7.2V Charger

BS 7.2V Electric Hollow Drill Set (Black)

- Main Engine ×1
- Battery ×2
- Charger ×1
- Electric Drill Key ×1
- Disinfection Channel
×1
- Suitcase ×1

BS 7.2V Swing Saw Set

for animals

Orthopedic
power
system

Coding	Product Description		
D100256	BS 7.2V Swing Saw Set (Including Four Saw Blades)		
D100253	BS 7.2V Battery		
D100254	BS 7.2V Charger		
Swing Saw Blade			
	Cut Thickness (mm)	Length (mm)	Width (mm)
D100257	0.35	50	6.5
D100258	0.35	50	8.0
D100259	0.50	45	10
D100260	0.50	36	12

BS 7.2V Swing Saw Set

- Main Engine ×1
- Battery ×2
- Charger ×1
- Swing Saw Blade ×4
- Disinfection Channel ×1
- Suitcase ×1

BS 7.2V Four In One Multifunctional Electric Drill Set

for animals

Orthopedic
power
system

Coding	Product Description		
D100261	BS 7.2V Four In One Multifunctional Electric Drill Set (Including Four Saw Blades)		
D100262	BS 7.2V Quick Coupling Main Engine Hollow 0-2.5mm		
D100263	Small Hollow Drill Chuck		
D100264	AO Quick Coupling Head		
D100265	Swing Saw Quick Coupling Head (Including Four Saw Blades)		
D100266	Kirschner Wire Clamp Quick Coupling Head 0.8-2.5mm		
D100253	BS 7.2V Battery		
D100254	BS 7.2V Charger		
D100267	Sterilization Box (Optional Accessory)		
	Cut Thickness (mm)	Length (mm)	Width (mm)
DPSB22	0.5	22	8
DPSB31	0.5	31	9.5
DPSB39	0.5	39	13
DPSB40	0.5	40	15

TPLO Electric Tool Set

for animals

Orthopedic
power
system

Coding	Product Description
D100268	TPLO Electric Tool Set (Including TPLO Ring Saw Host+Ring Saw Disinfection Box +TPLO Saw Blade * 10)
D100269	TPLO Ring Saw Host (Including Main Engine + Battery *2+ Charger *1)
D100270	TPLO Specialized Battery
D100271	TPLO Specialized Battery Charger
D100272	Saw Blade Locking Wrench
D100273	TPLO Saw Blade
D100274	Sterilization Box (Optional Accessory)

TPLO Circular Saw Blade

for animals

Orthopedic
power
system

Coding	Product Description
D100276	Radius 8mm, 21mm × 0.5mm
D100277	Radius 10mm, 24mm × 0.6mm
D100278	Radius 12mm, 30mm × 0.6mm
D100279	Radius 15mm, 30mm × 0.6mm
D100280	Radius 18mm, 35mm × 0.6mm
D100281	Radius 21mm, 35mm × 0.6mm
D100282	Radius 24mm, 42mm × 0.6mm
D100283	Radius 27mm, 50mm × 0.7mm
D100284	Radius 30mm, 50mm × 0.7mm
D100285	Radius 33mm, 52mm × 0.8mm



High Speed Micro Drill For Animal Spinal Nerves

for animals

High Speed Micro Drill For Animal Spinal Nerves




Coding	Product Description
D100286	Standard Configuration: 1 Short Straight Handle+1 Short Curved Handle+10 Hrinding heads
D100287	Simplified Configuration: 1 Short Straight Handle+8 Grinding Heads




Coding	Product Description
D100289	1mm Cutting And Grinding Head
D100290	2mm Cutting And Grinding Head
D100288	3mm Cutting And Grinding Head
D100291	4mm Cutting And Grinding Head
D100292	5mm Cutting And Grinding Head
D100296	1mm Diamond Grinding Head
D100297	2mm Diamond Grinding Head
D100298	3mm Diamond Grinding Head
D100299	4mm Diamond Grinding Head
D100300	5mm Diamond Grinding Head

New Biological PGR Kit

for animals

PRG pulley
groove
replacement
system

Coding	Product Description	Coding	Product Description
DPGR001	New Biological PGR Kit	DPGR0024	Punch 11#
DPGR002	Model Test 1#	DPGR0025	Punch 12#
DPGR003	Model Test 2#	DPGR0026	Hammer Handle Of Driver
DPGR004	Model Test 3#	DPGR0027	PGR Positioning Base Plate 1#
DPGR005	Model Test 4#	DPGR0028	PGR Positioning Base Plate 2#
DPGR006	Model Test 5#	DPGR0029	PGR Positioning Base Plate 3#
DPGR007	Model Test 6#	DPGR0030	PGR Positioning Base Plate 4#
DPGR008	Model Test 7#	DPGR0031	PGR Positioning Base Plate 5#
DPGR009	Model Test 8#	DPGR0032	PGR Positioning Base Plate 6#
DPGR010	Model Test 9#	DPGR0033	PGR Positioning Base Plate 7#
DPGR011	Model Test 10#	DPGR0034	PGR Positioning Base Plate 8#
DPGR012	Model Test 11#	DPGR0035	PGR Positioning Base Plate 9#
DPGR013	Model Test 12#	DPGR0036	PGR Positioning Base Plate 10#
DPGR014	Punch 1#	DPGR0037	PGR Positioning Base Plate 11#
DPGR015	Punch 2#	DPGR0038	PGR Positioning Base Plate 11#
DPGR016	Punch 3#	DPGR0039	Limiting Kirschner Wire 2.0
DPGR017	Punch 4#	DPGR0040	Positioning Kirschner Wire 1.5
DPGR018	Punch 5#	DPGR0041	Limiting Device Drill Bit 4 # 5# 6#
DPGR019	Punch 6#	DPGR0042	Limiting Device Drill Bit 7#
DPGR020	Punch 7#	DPGR0043	Limiting Device Drill Bit 8#
DPGR021	Punch 8#	DPGR0044	Limiting Device Drill Bit 9#
DPGR022	Punch 9#	DPGR0045	Limiting Device Drill Bit 10# 11# 12#
DPGR023	Punch 10#	DPGR0046	PGR Instrument Box



PRG pulley
groove
replacement
system

Coding	Product Description
DPGR047	Implant Prosthesis 1#
DPGR048	Implant Prosthesis 2#
DPGR049	Implant Prosthesis 3#
DPGR050	Implant Prosthesis 4#
DPGR051	Implant Prosthesis 5#
DPGR052	Implant Prosthesis 6#
DPGR053	Implant Prosthesis 7#
DPGR054	Implant Prosthesis 8#
DPGR055	Implant Prosthesis 9#
DPGR056	Implant Prosthesis 10#
DPGR057	Implant Prosthesis 11#
DPGR058	Implant Prosthesis 12#

PGR Kit

for animals

PRG pulley
groove
replaceme
nt system

Coding	Product Description	Coding	Product Description
DPGR059	PGR Kit	DPGR0083	Φ2.4*18mm Cortical Screw
DPGR060	Implant Prosthesis 1#	DPGR0084	Φ2.4*20mm Cortical Screw
DPGR061	Implant Prosthesis 2#	DPGR0085	Φ2.4*22mm Cortical Screw
DPGR062	Implant Prosthesis 3#	DPGR0086	Φ2.4*24mm Cortical Screw
DPGR063	Implant Prosthesis 4#	DPGR0087	Φ2.4*26mm Cortical Screw
DPGR064	Implant Prosthesis 5#	DPGR0088	Measuring Protheses 1#
DPGR065	Implant Prosthesis 6#	DPGR0089	Measuring Protheses 2#
DPGR066	Implant Prosthesis 7#	DPGR0090	Measuring Protheses 3#
DPGR067	Implant Prosthesis 8#	DPGR0091	Measuring Protheses 4#
DPGR068	Implant Prosthesis 9#	DPGR0092	Measuring Protheses 5#
DPGR069	Implant Prosthesis 10#	DPGR0093	Measuring Protheses 6#
DPGR070	Φ1.5*6mm Cortical Screw	DPGR0094	Measuring Protheses 7#
DPGR071	Φ1.5*6mm Cortical Screw	DPGR0095	Measuring Protheses 8#
DPGR072	Φ1.5*8mm Cortical Screw	DPGR0096	Measuring Protheses 9#
DPGR073	Φ1.5*10mm Cortical Screw	DPGR0097	Measuring Protheses 10#
DPGR074	Φ1.5*12mm Cortical Screw	DPGR0098	Φ1.1mm Drill Bit AO
DPGR075	Φ1.5*14mm Cortical Screw	DPGR0099	Φ1.8mm Drill Bit AO
DPGR076	Φ1.5*16mm Cortical Screw W	DPGR0100	Neutral Drill Guide
DPGR077	Φ1.5*18mm Cortical Screw	DPGR0101	T6 Screwdriver Shaft
DPGR078	Φ1.5*20mm Cortical Screw	DPGR0102	T8 Screwdriver Shaft
DPGR079	Φ1.5*22mm Cortical Screw	DPGR0103	Quick-Change Wrench
DPGR080	Φ2.4*12mm Cortical Screw	DPGR0104	Tweezers
DPGR081	Φ2.4*14mm Cortical Screw	DPGR0105	Depth Gauge, 40mm
DPGR082	Φ2.4*16mm Cortical Screw	DPGR0106	Implant box



达芬奇医疗器械有限公司
DavIn Med Technology Co.,Ltd

地址：福建省厦门市海沧区厦门生物医药产业园

网址：www.davin med.com

联系电话：18932382609

Facebook: Dafinki Med (Dafinki Medical)



Add: Xiamen Biopharmaceutical Industrial Park, Haicang District,
Xiamen City, Fujian Province, china 361000

Web: www.davin med.com

Mobile: 86 + 18932382609

Facebook: Dafinki Med (Dafinki Medical)